


Even though African Americans comprise 17% of the population of both races, they comprise 50% of excess incident cases (Non-Hispanic Black vs Non-Hispanic White: 62 vs 61), and 30% of excess deaths (Non-Hispanic Black vs Non-Hispanic White: 101 vs 237).

Comparison of the Catchment Area and U.S. Average Annual Age-adjusted Mortality Rates by Cancer Site and Race, 2016-2020



Notes:

1. Cancers are included if the rate is among the top 20, and the absolute rate difference between catchment area and U.S. is at least 5%.
2. Catchment Area include 15 counties in Northeast Ohio: Ashland, Ashtabula, Cuyahoga, Erie, Geauga, Huron, Lake, Lorain, Mahoning, Medina, Portage, Stark, Summit, Trumbull, and Wayne Counties.
3. Rates for both the catchment area and the U.S. were specific to the respective racial/ethnic group.
4. Excessive cases (per year) is estimated by multiply the population of the catchment area by the difference in mortality rates between the catchment area and the US.

\* Rates for breast and uterus cancers are limited to females.

\*\* CNS: Central Nervous System; IBD: Intrahepatic Bile Duct.

Source:

Surveillance, Epidemiology, and End Results (SEER) Program ([www.seer.cancer.gov](http://www.seer.cancer.gov)) SEER\*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment> - Linked To County Attributes - Total U.S., 1969-2020 Counties, National Cancer Institute, DCCPS, Surveillance Research Program, released June 2022. Underlying mortality data provided by NCHS ([www.cdc.gov/nchs](http://www.cdc.gov/nchs)).