





MYELOMA CANCER BY RACE IN NORTHEAST OHIO, 2016 - 2020

September 2023

Age-Adjusted Mortality Rate



	All	NH-White	NH-Black	Hispanic	Other**
Catchment Area	3.3 (3.1 – 3.5)	3.0 (2.8 – 3.2)	6.2 (5.3 – 7.1)	2.3 (1.1-3.9)	N/A
Ohio	3.4 (3.2 – 3.5)	3.1 (2.9 – 3.2)	6.5 (5.9 – 7.1)	2.1 (1.3 – 3.2)	2.1 (1.3 – 3.1)
National	3.1 (3.1 – 3.1)	2.9 (2.9 – 2.9)	5.9 (5.8 – 6.0)	2.6 (2.5 – 2.7)	1.6 (1.6 – 1.7)

Direct Age Adjusted Mortality Rate (95% Confidence Interval)

Average annual rate per 100,000, age adjusted to the 2000 US standard population.

* Ashland, Ashtabula, Cuyahoga, Erie, Geauga, Huron, Lake, Lorain, Mahoning, Medina, Portage, Stark, Summit, Trumbull, and Wayne

** American Indian or Alaskan Native, and Asian or Pacific Islander

*** N/A-indicates where rates may be unstable for case counts less than eleven

Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1990-2020) <Katrina/Rita Population Adjustment> - Linked To County Attributes - Total U.S., 1969-2020 Counties, National Cancer Institute, DCCPS, Surveillance Research Program, released June 2022. Underlying mortality data provided by NCHS (www.cdc.gov/nchs).