

Anthelios Clear Skin Oil Free Sunscreen SPF 60

Drug Facts

Active Ingredients

AVOBENZONE 3% • HOMOSALATE 15% • OCTISALATE 5% • OCTOCRYLENE 7%

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply generously 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

WATER • SILICA • DICAPRYLYL CARBONATE • STYRENE/ACRYLATES COPOLYMER • BUTYLOCTYL SALICYLATE • METHYL METHACRYLATE CROSSPOLYMER • NYLON-12 • PEG-100 STEARATE • GLYCERYL STEARATE • PERLITE • BEESWAX • AMMONIUM POLYACRYLOYLDIMETHYL TAURATE • PHENOXYETHANOL • PEG-8 LAURATE • BEHENYL ALCOHOL • SODIUM STEAROYL GLUTAMATE • CHLORPHENESIN • P-ANISIC ACID • XANTHAN GUM • TOCOPHEROL • DISODIUM EDTA • ARACHIDYL ALCOHOL • DIETHYLHEXYL SYRINGYLIDENEMALONATE • PROPYLENE GLYCOL • CASSIA ALATA LEAF EXTRACT • MALTODEXTRIN • STEARYL ALCOHOL • T-BUTYL ALCOHOL • CAPRYLIC/CAPRIC TRIGLYCERIDE

Questions or Comments?

1-888-LRP-LABO (1-888-577-5226)

Monday-Friday (9 a.m.-5 p.m. ET)

Anthelios Ultra Light Fluid Facial Sunscreen SPF 60

Drug Facts

Active Ingredients

AVOBENZONE 3% • HOMOSALATE 10% • OCTISALATE 5% • OCTOCRYLENE 7%

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply generously 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

WATER • CYCLOPENTASILOXANE • ALCOHOL DENAT. • SILICA • DICAPRYLYL ETHER • STYRENE/ACRYLATES COPOLYMER • PEG-30 DIPOLYHYDROXYSTEARATE • DIMETHICONE • CYCLOHEXASILOXANE • POLYMETHYLSILSESQUIOXANE • NYLON-12 • DICAPRYLYL CARBONATE • DIETHYLHEXYL SYRINGYLIDENEMALONATE • PHENOXYETHANOL • LAURYL PEG/PPG-18/18 METHICONE • SODIUM CHLORIDE • CAPRYLYL GLYCOL • PEG-8 LAURATE • ISOSTEARYL ALCOHOL • POLY C10-30 ALKYL ACRYLATE • DISTEARDIMONIUM HECTORITE • P-ANISIC ACID • CAPRYLIC/CAPRIC TRIGLYCERIDE • DISODIUM EDTA • CASSIA ALATA LEAF EXTRACT • PROPYLENE CARBONATE • SODIUM DODECYLBENZENESULFONATE • TOCOPHEROL

Questions or Comments?

1-888-LRP-LABO (1-888-577-5226)

Monday-Friday (9 a.m.-5 p.m. ET)

Anthelios Melt-In Milk Sunscreen SPF 60

Drug Facts

Active Ingredients

AVOBENZONE 3% • HOMOSALATE 10% • OCTISALATE 5% • OCTOCRYLENE 7%

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply generously 15 minutes before sun exposure
- Reapply:
 - After 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other Information

Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

WATER • STYRENE/ACRYLATES COPOLYMER • DIMETHICONE • POLYMETHYLSILSESQUIOXANE • BUTYLOCTYL SALICYLATE • GLYCERIN • ALCOHOL DENAT. • POLY C10-30 ALKYL ACRYLATE • CAPRYLYL METHICONE • TRISILOXANE • ACRYLATES/DIMETHICONE COPOLYMER • DIETHYLHEXYL SYRINGYLIDENEMALONATE • PEG-100 STEARATE • GLYCERYL STEARATE • PHENOXYETHANOL • POTASSIUM CETYL PHOSPHATE • PROPYLENE GLYCOL • CAPRYLYL GLYCOL • PEG-8 LAURATE • ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER • TRIETHANOLAMINE • TOCOPHEROL • INULIN LAURYL CARBAMATE • DISODIUM EDTA • P-ANISIC ACID • CAPRYLIC/CAPRIC TRIGLYCERIDE • XANTHAN GUM • CASSIA ALATA LEAF EXTRACT • MALTODEXTRIN • SODIUM DODECYLBENZENESULFONATE

Questions or Comments?

1-888-LRP-LABO (1-888-577-5226)

Monday-Friday (9 a.m.-5 p.m. ET)