

<b>Title:</b>	Policy on Laboratory use of Explosive and High Energy Materials
<b>Approved by:</b>	Environmental Health and Safety
<b>Effective date:</b>	April 12, 2019
<b>Responsible official:</b>	Environmental Health and Safety
<b>Responsible University office:</b>	Environmental Health and Safety
<b>Revision history:</b>	None
<b>Related legislation and University policy:</b>	DOT, EPS, FDA, OSHA
<b>Review period:</b>	5 years
<b>Date of last review:</b>	Sept 18, 2019
<b>Relates to:</b>	All of CWRU Community

#### **Summary of this Policy:**

This policy defines the protocol for the use of explosive or highly energetic materials (EoHE) as listed below in appendix A. Use of these chemicals require written consultation between the primary investigator and the student or staff who performs work with EoHE. The written plan must include the procedures for protection and be included in the laboratories' Chemical Hygiene Plan (CHP).

**The EoHE committee and the dean of the school where the work will be done must first approve any grant that will use EoHE materials at, or above 100mg. This requirement is necessary so that adequate engineering controls and work locations can be found prior to a grant commitment.**

#### **Purpose of this Policy:**

This policy's objective is to clarify the safety guidelines that must be followed when using EoHE while involved in general laboratory operations. It describes conduct, storage, heating and disposal procedures along with information on quantity permitted and signage use when handling all EoHE. This document goes into specific detail concerning the responsibilities of the EoHE committee.

## Definitions:

- a. CHP: Chemical Hygiene Plane
- b. CWRU: Case Western Reserve University
- c. DOE: Department of Energy
- d. DOT: Department of Transportation
- e. EHS: Environmental Health and Safety
- f. EoHE: Explosive or highly energetic materials
- g. EPA: Environmental Protection Agency
- h. Explosive substance: is a solid or liquid substance (or mixture of substances) which is, in itself, capable by chemical reaction of producing gas at such a temperature and pressure and at such a speed as to cause damage to the surroundings.
- i. FDA: Food and Drug Administration
- j. NFPA: National Fire Protection Association
- k. OSHA: Occupational Safety and Health Administration
- l. PI: Principal Investigator
- m. TNT: Tri Nitro Toulene generally used as an explosive
- n. WMD: Weapons of Mass Destruction

A list of known and documented explosives and high-energy materials is listed below in Appendix A as defined by the Bureau of Alcohol, Tobacco, Firearms and Explosives (ATF). This list should not be seen as a comprehensive list, but rather a strong, guiding framework for determining if substances being worked with in the laboratory are potentially explosive.

## **TRAINING REQUIRED**

All faculty, staff and students working with EoHE shall be trained in accordance with the prepared work plan and the elements of this document before working with EoHE. Documentation of training shall include an outline of the training accompanied by a sign in sheet. These documents will then be included in the CHP along with the work plan.

### **Procedure:**

Good workmanship and laboratory practices shall be exercised in making and operating laboratory setups and configurations. Follow the guidelines as described in the Case Western Reserve Manuals and Prudent Practices. In particular, the following guidelines apply:

- a. Equipment and apparatus shall be clean, in good condition and in good working order.
- b. All glassware and apparatus shall be inspected for cracks, defects, etc., before use. Defective or damaged equipment shall be removed from service. Where appropriate, glassware should be wrapped or taped.
- c. Setups shall be geometrically and structurally stable.
- d. Work areas should be neat and uncluttered as possible.

### **Protection Procedures:**

- a. Laboratory operations shall be conducted in a manner that is consistent with good laboratory practices and complies with the specific CHP of each individual laboratory.
- b. Laboratory personnel shall conduct work involving explosive materials only in accordance with the provisions of written operating procedures as defined in CHPs. These procedures shall comply with the requirements of the National Fire Protection Association (NFPA) 45: Standard on Fire Protection for Laboratories Using Chemicals.
- c. The quantity of explosives and high-energy materials present in a laboratory shall be the minimum required for the operations and should be at or below limits defined in CHP.
- d. Storage of stable material is permitted provided the material is secured when the laboratory is unoccupied. Storage of unstable material or material that may become unstable is discouraged and should be detailed in the work plan.

- e. Once an EoHE has been produced, if it has the potential for destabilization by exposure to air, light, temperature or other factors, the products should be made and used as soon as possible. If materials must be stored, they should be protected to reduce the possibility of adverse reactions and destabilization.
- f. If a product cannot be used when made, it must be placed in a locked and labeled munitions safe such as those used to store gunpowder. Any material and its precursors with the potential for misappropriation, or material that is listed as a weapon of mass destruction (WMD) must be stored in locked storage sufficient to prevent the removal of the material from the laboratory.
- g. Open flames shall be prohibited in laboratories where explosives or flammable solvent vapors are or may be present unless allowed by an approved Environmental Health and Safety (EHS) assessment.
- h. Disposal of explosives through laboratory drains shall be forbidden. Special care should be exercised to prevent entrance of compounds into drains that may react with iron or rust to form sensitive salts (e.g., picrates, azides and picric acid).
- i. Solvents or other flammable substances shall be protected against electrical sparks, heat and open flames.
- j. Suitable guards for all glass or fragile equipment that must withstand reduced or elevated pressure must be present. All glassware should be examined for cracks and wrapped in tape as necessary to minimize the travel of glass shards should an explosion or implosion occur.
- k. All works with EoHE materials shall be isolated from other laboratory experiments to the extent required for isolation in the event of an unexpected reaction.
- l. Signs shall be placed on the entrance of areas where EoHE work will be conducted that state the names of materials in use, the quantity in use and the emergency contact information.

**Table I: Safety Shields for Explosive Laboratory Operations\***

Shield	Minimum distance from explosive (cm)	Explosives limit
Leather gloves, jackets, or coats, and plastic face shields	-----	100 mg
3 mm tempered glass	8	100 mg
7 mm Lucite/equivalent material	15	2.5 g
20 mm Lucite/equivalent material	15	10 g
15 mm laminated resistant glass	20	20 g
25.4 mm Lexan/Lexguard	30	50 g

\* When proposing reactions that utilize or produce more than 100 mg of explosive or high-energy material, a committee-approved written plan must be filed with EHS and included in the individual laboratory's CHP.

### **Safety Quantities and Protective Equipment and Environment**

- a. Case Western Reserve University (CWRU) has deemed 100mg to be the upper limit for working with explosive or high-energy compounds without prior approval. If it becomes necessary to work with larger quantities, an approved protocol will need to be developed in conjunction with EHS.
- b. If a laboratory operation involves an explosion hazard, personnel should be protected by appropriate engineering controls, personal protective equipment and safety shields or the operation should be performed remotely. Table I (above) lists shields that have been tested by the Department of Energy (DOE) and found to be acceptable for the indicated quantities of explosives.
- c. CWRU laboratories are not generally equipped with the appropriate blast walls, such as infrangible panels and ceilings required for use of EoHE above 100mg. If larger amounts of material above 100mg are approved, a suitable work area will need to be located or built.
- d. Shields listed in Table I were not tested for metal fragment penetration (unless specifically indicated) and thus, may not offer effective protection when the explosive is closely confined in a heavy walled metal container. (Heavy wall is defined here as wall thickness to a diameter ratio greater than 0.01.)
- e. If an experiment poses a metal-fragment hazard (as opposed to a glass-fragment hazard) and the experiment cannot be conducted remotely, the proposed reaction conditions should be designed in consultation with EHS.
- f. The shield shall be anchored to the hood frame or bench top when it is being used for protection against more than 5 g of TNT (Tri Nitro Toulene) equivalent.
- g. Work in confined areas is forbidden unless engineered and approved by an architect for such use.

- h. When explosive operations require personnel to reach around a shield to manipulate equipment, exposure shall be minimized and the use of distancing devices shall be employed whenever possible. For example, a stick or other device can be used to distance the worker from the potential hazard.

### **Heating Procedures**

During synthesis, formulation or experimental work, heat may be applied to initiate or maintain reaction and to increase solubility, etc., if the principles below are followed:

- a. Heat shall be applied indirectly using steam, a water bath, oil bath or an approved laboratory electrical heating device, such as a mantle.
- b. Utmost caution shall be exercised to ensure that reactive materials do not come into direct contact with the heating elements.
- c. If an experiment must be conducted behind a shield, any heating device shall be mounted so that temperatures can be controlled from the operator side of the shield. The heating device should be mounted so it can be separated quickly from the reaction vessel without operator exposure. Consideration should be given during the design of the experiment in order to provide emergency cooling for the reaction vessel or its contents.
- d. Heating of explosives with devices without proper controls is prohibited unless approved in writing by EHS. If the operator must leave for any reason, the heating device should be turned off. Heating systems operated unattended shall have dual controls, an override shutoff or some other protection against failure of the primary heating control. Systems capable of totally containing the effects of an explosion may be exempted from these requirements.
- e. Periodic checks should be made to ensure that an experiment is proceeding satisfactorily and that the apparatus is not boiling dry, malfunctioning, etc. In the case of remotely controlled operations, provisions shall be made for observation, using mirrors, television monitors, etc.
- f. After explosives are in a diluted solution (less than 25 percent explosives by weight) the primary hazard shall be considered as that associated with the solvent and not the explosive. Where supported by technical data, a solvent/explosive solution greater than 25 percent may also be similarly classified. The 100mg limit still holds for solutions.
- g. If the explosive recrystallizes or precipitates out of solution, safety guidelines for pure explosives shall apply.

## The EoHE Committee

- a. The EoHE committee approves use of EoHE materials above 100mg and shall be comprised at a minimum of: the principal investigator (PI), two additional peers and a representative from EHS. The committee will evaluate the work plan proposed by the PI and work to achieve a suitable process for carrying out the work.
- b. The EoHE committee and the dean of the school where the work will be done prior to submission must first approve any grant that will use EoHE materials at, or above 100mg, not exempt from this program. This requirement is necessary so that adequate engineering controls and work locations can be found prior to a grant commitment.
- c. A maximum of 100mg of EoHE materials may be prepared, stored or handled in a reaction at any one time unless an additional work plan has been established and presented to the EoHE committee for approval.
- d. Any approved use of materials above 100mg requires an authorized location for the work that contains the required engineering controls needed to contain a blast should it occur. This engineered space shall meet all the qualifications of local, state and federal regulations.
- e. Use of EoHE materials above 1g requires an emergency action plan be established. The emergency action plan must be comprehensive and sufficiently detailed to address the worst-case scenario.

Note: Picric acid and sodium azide are utilized in biological research. Hydrated materials do not require additional protection and are exempt from the 100mg limit. In order to take advantage of this exemption, a log demonstrating a visual check of hydration must be kept. The materials should be checked no less than once every four months.

## Appendix A: Substances defined as explosive

This list is defined by the ATF as of October 19, 2011 (Federal Register/Vol. 76, No. 202)

\*NOTE: This list should not be considered comprehensive.

### A

Acetylides of heavy metals

Aluminum containing polymeric propellant

Aluminum orthite explosive

Amatex

Amatol

Ammonal

Ammonium nitrate explosive mixtures (cap sensitive)

\*Ammonium nitrate explosive mixtures (non-cap sensitive)

Ammonium perchlorate having particle size less than 15 microns

Ammonium perchlorate explosive mixtures (excluding ammonium perchlorate composite propellant (APCP))

Ammonium picrate [picrate of ammonia, Explosive D]

Ammonium salt lattice with isomorphously substituted inorganic salts

\*ANFO [ammonium nitrate-fuel oil]

Aromatic nitro-compound explosive mixtures

Azide explosives

### B

Baranol

Baratol

BEAF [1, 2-bis (2, 2-difluoro-2-nitro acetoxy ethane)]

Black powder

Black powder based explosive mixtures

\*Blasting agents, nitro-carbo-nitrates, including non-cap sensitive slurry and water gel explosives

Blasting caps

Blasting gelatin

Blasting powder

BTNEC [bis (trinitroethyl) carbonate]

BTNEN [bis (trinitroethyl) nitramine]

BTTN [1,2,4 butanetriol trinitrate]

Bulk salutes

Butyl tetryl

### C

Calcium nitrate explosive mixture

Cellulose hexanitrate explosive mixture

Chlorate explosive mixtures

Composition A and variations



## **C (continued)**

Composition B and variations  
Composition C and variations  
Copper acetylide  
Cyanuric triazide  
Cyclonite [RDX]  
Cyclotetramethylenetetranitramine  
[HMX] Cyclotol  
Cyclotrimethylenetrinitramine [RDX]

## **D**

DATB [diamino trinitrobenzene]  
DDNP [diazodinitrophenol]  
DEGDN [diethylene glycol dinitrate]  
Detonating cord  
Detonators  
Dimethylol dimethyl methane dinitrate composition  
Dinitroethy leneurea  
Dinitroglycerine [glycerol dinitrate]  
Dinitrophenol  
Dinitrophenol rates  
Dinitrophenylhydrazine  
Dinitroresorcinol  
Dinitrotoluene-sodium nitrate explosive mixtures  
DIPAM [dipicramide; diaminohexane nitrobiphenyl]  
Dipicryl sulfone  
Dipicryl amine  
Display fireworks  
DNPA [2,2-dinitro propyl acrylate]  
DNPD [dinitro propano nitrile]  
Dynamite

## **E**

EDDN [ethylene diamine dinitrate]  
EDNA [ethylene dinitramine]  
Ednatol  
EDNP [ethyl 4,4-dinitro ethanoate]  
EGDN [ethylene glycol dinitrate]  
Erythritol tetranitrate explosives  
Esters of nitro-substituted alcohols  
Ethyl-tetryl  
Explosive conitrates  
Explosive gelatins  
Explosive liquids  
Explosive mixtures containing oxygen-releasing inorganic salts and hydrocarbons  
Explosive mixtures containing oxygen-releasing inorganic salts and nitro bodies  
Explosive mixtures containing oxygen-releasing inorganic salts and water insoluble fuels  
Explosive mixtures containing oxygen-releasing inorganic salts and water-soluble fuels

## **E (continued)**

Explosive mixtures containing sensitized nitromethane  
Explosive mixtures containing tetranitromethane (nitroform)  
Explosive nitro compounds of aromatic hydrocarbons  
Explosive organic nitrate mixtures  
Explosive powders

## **F**

Flash powder  
Fulminate of mercury  
Fulminate of silver  
Fulminating gold  
Fulminating mercury  
Fulminating platinum  
Fulminating silver

## **G**

Gelatinized nitrocellulose  
Gem-dinitro aliphatic explosive mixtures  
Guanyl nitrosamino guanyl tetrazene  
Guanyl nitrosamino guanylidene hydrazine  
Guncotton

## **H**

Heavy metal azides  
Hexanite  
Hexanitrodiphenylamine  
Hexanitrostilbene  
Hexogen [RDX]  
Hexogene or octogene and a nitrated N- methylaniline  
Hexolites  
HMTD [hexamethylene triperoxide diamine]  
HMX [cyclo-1,3,5,7-tetramethylene 2,4,6,8-tetranitramine; Octogen]  
Hydrazinium nitrate/hydrazine/aluminum explosive system  
Hydrazoic acid

## **I**

Igniter cord  
Igniters  
Initiating tube systems

## **K**

KDNBF [potassium dinitrobenzo-furoxane]

## **L**

Lead azide  
Lead mannite  
Lead mononitroresorcinate  
Lead picrate  
Lead salts, explosive  
Lead styphnate [lead trinitroresorcinate]  
Liquid nitrate polyol and trimethylolethane  
Liquid oxygen explosives

## **M**

Magnesium ophorite explosives  
Mannitol hexanitrate  
MDNP [methyl 4,4-dinitropentanoate]  
MEAN [monoethanolamine nitrate]  
Mercuric fulminate  
Mercury oxalate  
Mercury tartrate  
Metriol trinitrate  
Minol-2 [40% TNT, 40% ammonium nitrate, 20% aluminum]  
MMAN [monomethylamine nitrate]; methylamine nitrate  
Mononitrotoluene-nitroglycerin mixture  
Monopropellant

## **N**

NIBTN [nitroisobutametrial trinitrate]  
Nitrate explosive mixtures  
Nitrate sensitized with gelled nitroparaffin  
Nitrated carbohydrate explosive  
Nitrated glucoside explosive  
Nitrated polyhydric alcohol explosives  
Nitric acid and a nitro aromatic compound explosive  
Nitric acid and carboxylic fuel explosive  
Nitric acid explosive mixtures  
Nitro aromatic explosive mixtures  
Nitro compounds of furane explosive mixtures  
Nitrocellulose explosive  
Nitroderivative of urea explosive mixture  
Nitrogelatin explosive  
Nitrogen trichloride  
Nitrogen tri-iodide  
Nitroglycerine [NG, RNG, nitro, glyceryl trinitrate, trinitroglycerine]  
Nitroglycide  
Nitroglycol [ethyleneglycol dinitrate, EGDN]  
Nitroguanidine explosives  
Nitronium perchlorate propellant mixtures

## **N (continued)**

Nitroparaffins Explosive Grade and ammonium nitrate mixtures  
Nitrostarch  
Nitro-substituted carboxylic acids  
Nitrourea

## **O**

Octogen [HMX]  
Octol [75 percent HMX, 25 percent TNT]  
Organic amine nitrates  
Organic nitramines

## **P**

PBX [plastic bonded explosives]  
Pellet powder  
Penthrinite composition  
Pentolite  
Perchlorate explosive mixtures  
Peroxide based explosive mixtures  
PETN [nitropentaerythrite, pentaerythrite tetranitrate, pentaerythritol tetranitrate  
Picramic acid and its salts  
Picramide  
Picrate explosives  
Picrate of potassium explosive mixtures  
Picrato  
Picric acid (manufactured as an explosive)  
Picryl chloride  
Picryl fluoride  
PLX [95% nitromethane, 5% ethylenediamine  
Poly nitro aliphatic compounds  
Polyol polynitrate-nitrocellulose explosive gels  
Potassium chlorate and lead sulfocyanate explosive  
Potassium nitrate explosive mixtures  
Potassium nitroaminotetrazole  
Pyrotechnic compositions  
PYX [2,6-bis(picrylamino)] 3,5-dinitropyridine

## **R**

RDX [cyclonite, hexogen, T4, cyclo-1,3,5,-trimethylene-2,4,6,-trinitramine; hexahydro-1,3,5-trinitro-S- triazine]

## **S**

Safety fuse  
Salts of organic amino sulfonic acid explosive mixture  
Salutes (bulk)  
Silver acetylde  
Silver azide

## **S (continued)**

Silver fulminate  
Silver oxalate explosive mixtures  
Silver styphnate  
Silver tartrate explosive mixtures  
Silver tetrazene  
Slurried explosive mixtures of water, inorganic oxidizing salt, gelling agent, fuel, and sensitizer (cap sensitive)  
Smokeless powder  
Sodatol  
Sodium amatol  
Sodium azide explosive mixture  
Sodium dinitro-ortho-cresolate  
Sodium nitrate explosive mixtures  
Sodium nitrate-potassium nitrate explosive mixture  
Sodium picramate  
Special fireworks  
Squibs  
Styphnic acid explosives

## **T**

Tacot [tetranitro-2,3,5,6-dibenzo-1,3a,4,6a tetrazapentalene]  
TATB [triaminotrinitrobenzene]  
TATP [triacetone triperoxide]  
TEGDN [triethylene glycol dinitrate]  
Tetranitrocarbazole  
Tetrazene [tetracene, tetrazine, 1(5-tetrazoly l)-4-guanyl tetrazene hydrate]  
Tetrazole explosives  
Tetryl [2,4,6 tetranitro-N-methylaniline]  
Tetrytol  
Thickened inorganic oxidizer salt slurried explosive mixture  
TM ETN [trimethylolethane trinitrate]  
TNEF [trinitroethyl formal]  
TNEOC [trinitroethyl orthocarbonate]  
TNEOF [trinitroethylorthoformate]  
TNT [trinitrotoluene, trotyl, trilitite, triton]  
Torpex  
Tridite  
Trimethylol ethyl methane trinitrate composition  
Trimethylolethane trinitrate-nitrocellulose  
Trimonite  
Trinitroanisole  
Trinitrobenzene  
Trinitrobenzoic acid  
Trinitrocresol

**T (continued)**

Trinitro-meta-cresol  
Trinitronaphthalene  
Trinitrophenetole  
Trinitrophenol  
Trinitroresorcinol  
Tritonal

**U**

Urea nitrate

**W**

Water-bearing explosives having salts of oxidizing acids and nitrogen bases, sulfates or sulfamates (cap sensitive)  
Water-in-oil emulsion explosive compositions

**X**

Xanthomonas hydrophilic colloid explosive mixture