

SMART Center II Common Data Elements			
Variable	Measurement	Details/Protocol	PhenX Toolkit
Brain Function and Stress			
Cognitive Impairment	Montreal Cognitive Assessment	MoCA ¹ Test: http://www.mocatest.org/pdf_files/test/MoCA-Test-English_7_1.pdf Instructions: http://www.mocatest.org/pdf_files/instructions/MoCA-Instructions-English_2010.pdf	No No
Executive Function	Flanker Inhibitory Control & Attention	NIH Toolbox test, Computer administered NIH Toolbox Flanker Inhibitory Control and Attention Test http://www.nihtoolbox.org/WhatAndWhy/Cognition/Attention/Pages/NIH-Toolbox-Flanker-Inhibitory-Control-and-Attention-Test.aspx	
Neural Processing	fMRI	Self-Management analytic (TPN) and empathetic (DMN) tasks ²	No
HPA Axis Function & Stress	Serum Measures Hair Cortisol Perceived Stress	IL-6 & hsCRP ³ Cortisol measure ⁴ Perceived Stress Scale ⁵ https://www.phenxtoolkit.org/index.php?page=Link=browse.protocols&filter=1&id=180800	Yes
Cognitive and Contextual Mediators and Moderators			
Self-Efficacy	Chronic Disease Management Self Efficacy	Self-Report Scale (6 items) ^{6,7} http://patienteducation.stanford.edu/research/secd6.html	No
Decision-Making	Iowa Gambling Task (Adult)	Computer Administered Task ⁸ https://www.phenxtoolkit.org/index.php?page=Link=browse.protocoldetails&id=530202	Yes
Motivation	Self-Regulation Scale	Self-Report Scale (9 items) ⁹ http://www.ncbi.nlm.nih.gov/pubmed/9769608	No
Patient Activation	Patient Activation Measure Caregiver Activation Measure	Self-Report Scale (13 items) ¹⁰ www.insigniahealth.com/products/pam-survey¹¹	
Decentering	Experiences Questionnaire	Self-Report Scale (11 items) ^{12,13} https://mail.google.com/mail/u/0/#inbox/14c903887b15608a?projector=1	No

		http://www.personal.kent.edu/~mvandul/Fresco_et_al_Decentering_in_press_BT.pdf http://oxfordmindfulness.org/wp-content/uploads/Fresco-et-al-2007.pdf	
Variable	Measurement	Details/Protocol	PhenX Toolkit
Social Support	Duke Social Support Scale	Self-Report Scale (7 items) ¹⁴ http://www.sciencedirect.com/science/article/pii/S0033318293719283	No
Compassion	Compassion/LC	Self-report (2 items) ¹⁵ www.dscale.org	No
Self-Management Behavior Outcomes			
Physical Activity	Actigraph	Active Living Protocol ¹⁶ http://www.journalsleep.org/Articles/260718.pdf	Yes
	Diary	Daily Diary of Physical Activity (insert citation) http://www.cdc.gov/healthyweight/pdf/physical_activity_diary_cdc.pdf	No
Diet	Nutrient Data Systems Report	Twenty-four standardized dietary recall ¹⁷ http://license.umn.edu/technologies/ndsr87072_nutrition-data-system-for-research-nutritional-analysis-software	No
Health Status Outcomes			
Perceived Health Status	PROMIS-29	Self-Report Scale (29 items including depression, anxiety, participation in social roles, physical function, pain , fatigue, and sleep) ^{18,19} https://www.assessmentcenter.net/documents/InstrumentLibrary.pdf	No
Cost	Econometric	Intervention staff time, Intervention staff travel costs, Participant travel to the intervention, Participant time at the intervention, Other participant intervention costs, Intervention incentives, Intervention supply costs, Intervention facility costs	No
Intervention Fidelity	Fidelity Process Measure	Data collection form to include fidelity components on intervention delivery, receipt and enactment; interventionists, recruitment, scheduling, & retention ²⁰ http://www.ncoa.org/chamodules/documents/EnhancingFidelity_Bellg-etal.pdf	No

1. Nasreddine ZS, Phillips NA, Bedirian V, et al. The montreal cognitive assessment, MoCA: A brief screening tool for mild cognitive impairment. *J Am Geriatr Soc.* 2005;53(4):695-699.
2. Jack AI, Boyatzis RE, Khawaja MS, Passarelli AM, Leckie RL. Visioning in the brain: an fMRI study of inspirational coaching and mentoring. *Social neuroscience.* 2013;8(4):369-384.
3. McCaffery JM, Marsland AL, Strohacker K, Muldoon MF, Manuck SB. Factor structure underlying components of allostatic load. *PLoS one.* 2012;7(10):e47246.
4. Sauve BK, G., Walsh, G., Tokmakejian, S., Van Uum, SH. Measurement of cortisol in human hair as a biomarker of systemic exposure. *Clinical Investigative Medicine.* 2007;30(5):E183-E191.
5. Cohen S, Kamarck T, Mermelstein R. A global measure of perceived stress. *Journal of health and social behavior.* 1983;24(4):385-396.
6. Lorig K, Stewart, A., Ritter, P., Gonzalez, V., Laurent, D., & Lynch, J. . *Outcomes measures for health education and other health care interventions.* Thousand Oaks, CA: Sage Publications Inc.; 1996.
7. Lorig KR, Sobel DS, Ritter PL, Laurent D, Hobbs M. Effect of a self-management program on patients with chronic disease. *Effective clinical practice : ECP.* 2001;4(6):256-262.
8. Bechara A, Damasio AR, Damasio H, Anderson SW. Insensitivity to future consequences following damage to human prefrontal cortex. *Cognition.* 1994;50(1-3):7-15.
9. Fleury J. The index of self-regulation: development and psychometric analysis. *Journal of nursing measurement.* 1998;6(1):3-17.
10. Hibbard JH, Stockard J, Mahoney ER, Tusler M. Development of the Patient Activation Measure (PAM): conceptualizing and measuring activation in patients and consumers. *Health services research.* 2004;39(4 Pt 1):1005-1026.
11. Insignia Health. Patient Activation Measure® (PAM®). 2015; The Patient Activation Measure (PAM) is a commercial product which assesses an individual's knowledge, skill, and confidence for managing one's health and healthcare. Available at: www.insigniahealth.com/products/pam-survey. Accessed July 31, 2015.
12. Fresco DM, Segal ZV, Buis T, Kennedy S. Relationship of posttreatment decentering and cognitive reactivity to relapse in major depression. *Journal of consulting and clinical psychology.* 2007;75(3):447-455.
13. Moore MT, Fresco DM. The relationship of explanatory flexibility to explanatory style. *Behavior therapy.* 2007;38(4):325-332.
14. Koenig HG, Westlund RE, George LK, Hughes DC, Blazer DG, Hybels C. Abbreviating the Duke Social Support Index for use in chronically ill elderly individuals. *Psychosomatics.* 1993;34(1):61-69.
15. Kremer H, Ironson G, Kaplan L, Stuetzle R, Fletcher MA. Compassionate Love as a Predictor of Reduced HIV Disease Progression and Transmission Risk. *Evidence-based complementary and alternative medicine : eCAM.* 2013;2013:819021.
16. Van Remoortel H, Giavedoni S, Raste Y, et al. Validity of activity monitors in health and chronic disease: a systematic review. *The international journal of behavioral nutrition and physical activity.* 2012;9:84.
17. Bialostosky K, Wright JD, Kennedy-Stephenson J, McDowell M, Johnson CL. Dietary intake of macronutrients, micronutrients, and other dietary constituents: United States 1988-94. *Vital and health statistics. Series 11, Data from the national health survey.* 2002(245):1-158.
18. Cellai D, Riley W, Stone A, et al. The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005-2008. *Journal of clinical epidemiology.* 2010;63(11):1179-1194.
19. Cellai D, Yount S, Rothrock N, et al. The Patient-Reported Outcomes Measurement Information System (PROMIS): progress of an NIH Roadmap cooperative group during its first two years. *Medical care.* 2007;45(5 Suppl 1):S3-S11.

20. Bellg AJ, Borrelli B, Resnick B, et al. Enhancing treatment fidelity in health behavior change studies: best practices and recommendations from the NIH Behavior Change Consortium. *Health psychology : official journal of the Division of Health Psychology, American Psychological Association*. 2004;23(5):443-451.